

Woodmoor[®] Shingles

NZ



Home sweet home.

It's the place where you want to feel the most comfortable. Safe. Protected. But no matter how much you love your house, it seems the work is never completely done. And if purchasing a new roof is on your to-do list, it may seem like a daunting task.

But you don't have to worry about it anymore. We're here to help.

You can feel confident about choosing our roofing products—Owens Corning has been a recognized leader in the building materials industry for over 70 years. We're known for making homes more comfortable, beautiful and durable. And it's likely you've invited our mascot, The Pink Panther," into your home already—our building products and famous PINK Insulation have been used in millions of homes across the country.

Owens Corning and your contractor can make this a positive experience an opportunity, really. This is your chance to choose a roof that not only has outstanding performance, but also has exceptional beauty. One that can transform the look of your entire home. So for years to come, you'll feel great every time you pull in the driveway.

Safe. Protected. Home.





Woodmoor[®] Shingles



Autumn Maple⁺

Juniper⁺

Woodmoor[®] Shingles

Steadfast Woodmoor[®] shingles feature an extra-thick, threedimensional appearance that evokes the look of wood shake. *Woodmoor* shingles also boast great endurance—they come with a Limited Lifetime Warranty,^{*}/[‡] 110/130^{**} MPH Wind Resistance Limited Warranty^{*} and Algae Resistance Limited Warranty.^{*} Also, our color-matched Owens Coring[™] Hip & Ridge Shingles will give your roof a beautiful, refined look.



Product Attributes

Warranty Length
Limited Lifetime [‡]
Wind Resistance Limited Warranty [*]
110/130** MPH
Algae Resistance Limited Warranty
10 Years
Tru PROtection® Non-Prorated Limited Warranty [®] Period
10 Years

Woodmoor[®] Shingles Product Specifications

Nominal Size	14 ¹ /4" x 40"
Nominal Weight	465 lbs.
Exposure	4"
Shingles per Bundle	15
Bundles per Square	6
Coverage per Square	100 sq. ft.

WoodStart[®] Starter Shingles **Product Specifications**

Nominal Size	40" x 13 ³ / ₈ "
Pieces per Bundle	16
Lineal Feet per Bundle	53.33

Applicable Standards and Codes

ICC ESR 1372	ASTM D 7158, Class H Wind
ASTM D 3462	ASTM D 3018, Type 1
ASTM E 108, Class A Fire	UL 790, Class A
ASTM D 3161, Class F Wind	CSA 123.5

In the coastal regions of California, which tend to have high levels of salt in the atmosphere, copper or non-metallic gutters such as vinyl are recommended for use with algae resistant (AR) shingles. Aluminum gutters or aluminum components without corrosion protection are not recommended. This is because rain or dew runoff from AR shingles (which contain trace amounts of copper) can cause gutter or flashing corrosion.

- ** 130 MPH is applicable only with 6 nail application in accordance with installation instructions.
- instructions.
 † Owens Corning strives to accurately reproduce photographs of shingles. Due to manufacturing variances, the limitations of the printing process and the variations in natural lighting, actual shingle colors and granule blends may vary from the photo. The pitch of your roof can also impact how a shingle looks on your home. We suggest that you view a roofing display or several shingles to get a better idea of the actual color. To accurately judge your shingle and color choice, we recommend that you view it on an actual roof with a pitch similar to your own roof prior to making your final selection. Color availability subject to change without notice. Ask your professional roofing contractor for samples of colors available in your area.
 ‡ 40-Year Limited Warranty on commercial projects.

The essentials for a healthy roofing system.

It takes more than just shingles to create a highperformance roof. It requires a system of products working together. Owens Corning[™] Roofing Essentials[™] Accessory Products work with our shingles to make up a roofing system that helps provide maximum durability for your roof. And the most protection for your home.

a VentSure[®] Ventilation Products. Help protect a roof from premature failure by helping remove heat and moisture from the attic.



- **PINK**[°] Fiberglas[™] Blown-In Insulation. Tiny air pockets trapped in the insulation resist the passage of heat flow.
- C Owens Corning[™] Hip & Ridge Shingles. Help protect the ridge vent and add an attractive, finished look to a roof's hips and ridges.
- (d) Owens Corning[™] Shingles. Add durable beauty to a home. Shingles are the first line of defense against the elements.
- e Owens Corning^w Underlayment Products. Add an extra layer of protection between the shingles and the roof deck to help prevent damage from wind-driven rain.
- (f) WeatherLock* Self-Sealing Ice & Water Barrier Products. Help guard vulnerable areas where water can do the most damage to a roof: eaves, valleys, dormers and skylights.
- **(g)** WoodStart[®] Starter Shingles.

The first step in the proper installation of shingles.

- (h) RapidFlow^{*} Gutter Drainage Protection. Keeps leaves and other debris from clogging gutters, while allowing water to flow freely off of the roof and through gutters.
- i Owens Corning[™] Undereave Ventilation Products. Help prevent moisture buildup in the attic by working with ridge vents to keep air moving.



Want to know more about Owens Corning[™] products or find an Owens Corning Preferred Contractor in your area? It's easy to reach us:

1-800-GET-PINK[•] | www.roofing.owenscorning.com



OWENS CORNING ROOFING AND ASPHALT, LLC ONE OWENS CORNING PARKWAY TOLEDO, OHIO, USA 43659



Pub. No. 10002228-E. Printed in U.S.A. February 2011. THE PINK PANTHER[™] & © 1964–2011 Metro-Goldwyn-Mayer Studios Inc. All Rights Reserved. The color PINK is a registered trademark of Owens Corning. ©2011 Owens Corning.

(Compton, Denver, Irving, Portland, Summit)

Preferred Contractors are independent contractors and are neither affiliates nor agents of Owens Corning Roofing & Asphalt, LLC, or its affiliated companies.